

Test Report

Number: SHAH01320961

Applicant: AMSCAN ASIA LTD

Date: 31 Mar, 2021

Sample Description:


Six (6) sets of submitted sample said to be:

Item no. : 3900282
Vendor no. : 13280
Factory no. : 01143
P.O. no. : 323422
Rating according to Amscan's protocol : Pass
Item name : Infl Mini Basketball
Sample submission date : Mar 23, 2021
Report issued date : Mar 31, 2021
Report no. : SHAH01320961
Retest of report : --
Remark : --
Test Reference Number : LBW10044753
Labelled age group : 3+
Appropriate age group for testing : Over 3 years
Packaging provided : Yes
Buyer : Amscan
Country of origin : China
Country of destination : US
Sample Type : Vendor Provided Sample
Amscan Gunscan reference :

| Component | Heavy Metal | Phthalate |
|--|-------------|-----------|
| multicolour paper head card(packaging) | Nd | NA |
| silver metal staple(packaging) | Nd | NA |
| transparent plastic bag(packaging) | Nd | Nd |
| transparent plastic air cock | Nd | BBP37.66% |
| orange plastic | Nd | BBP37.97% |
| black coating with plastic | Nd | Nd |

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager





Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Bill Zhang
General Manager



Test Report

Number: SHAH01320961

| Amscan requirement (for GCC use) | |
|---|--------|
| Test item | Rating |
| Lead in surface coating (16 CFR 1303) | Pass |
| Lead in substrate (CPSIA 101) | Pass |
| Choking hazard labeling (16 CFR 1500.19) | NA |
| Pacifiers (16 CFR 1511) | NA |
| Rattles (16 CFR 1510) | NA |
| Labeling on hazardous (16 CFR 1500.14(b) (1-5)) | NA |
| Toys (ASTM F963) (CPSIA 106) | Pass |
| Sharp point (16 CFR 1500.48) | Pass |
| Sharp edge (16 CFR 1500.49) | NA |
| Small part (16 CFR 1501) | NA |
| Flammability of solids (16 CFR 1500.44) | Pass |
| Flammability of textiles (16 CFR 1610) | NA |
| Flammability of plastic film (16 CFR 1611) | NA |
| Phthalates in toy & childcare items (CPSIA 108) | Pass |
| Art materials (LHAMA) (16 CFR 1500.14(b)(8)) | NA |
| Others (please specify) | NA |

Abbreviation: NA = Not applicable NR = Not requested

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report


Number: SHAH01320961

Conclusion:

| <u>Tested samples</u> | <u>Standard</u> | <u>Result</u> |
|---------------------------------------|---|---------------|
| Submitted Sample Set | Amscan Labeling Requirement | Pass |
| | U.S. ASTM F963-17-Physical And Mechanical Tests | Pass |
| | U.S. ASTM F963-17-Flammability Test of Materials Other Than Textile Materials | Pass |
| | Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Mechanical and Physical test | Pass |
| | Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138 - Cellulose Nitrate and Celluloid | Pass |
| | U.S. CFR Title 16 (CPSC Regulations)-Part 1500.3(c)(6)(vi) Flammability Test On Rigid and Pliable Solids | Pass |
| Tested components of submitted sample | Total Lead content in surface coating | Pass |
| Tested component of submitted sample | Amscan's requirement for total Lead content in non-surface coating materials (substrate) | Pass |
| Tested components of submitted sample | Amscan's requirement for toxic elements test on surface coating | Pass |
| | Amscan's requirement for toxic elements test on substrate | Pass |
| Tested component of submitted sample | Canada Consumer Product Safety Act Toys Regulation SOR/2011-17 section 23 and amendments SOR/2016-195 for Toxic Elements Test | Pass |
| Tested Components Of Submitted Sample | Amscan's requirement for specified phthalates | Pass |
| | Amscan's requirement with reference to Consent Judgement No. BG-350969 for phthalates content based on related court case of California Proposition 65 (excluding labelling assessment) | Pass |
| Tested component of submitted sample | Amscan's requirement on Lead and Cadmium in surface wipe sample | Pass |

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai



Bill Zhang
General Manager



Test Report

Number: SHAH01320961

Tests Conducted

1 Labeling Test on Amscan Product

As per the Amscan requirement, the submitted sample was subjected to the following tests.

Number of Samples Tested: One (1) Set.

Executive Summary:

| Labeling Requirements | Citation | Criteria | Result |
|--|---|---|----------------------|
| 16 CFR 500 Fair Packaging and Labeling Act or Uniform Packaging and Labeling Regulations | FPLA (16 CFR 500) or NIST Uniform Laws and Regulations Handbook 130 | Manufacturer, Packer, or Distributor's Name & Address (City, State & Zip Code) | P |
| | | Product Identification | P |
| | | Net quantity of contents shall be expressed in appropriate type size and in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (in.-pound and SI units). | P |
| Country of Origin Marking | 19 CFR 134 | Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase. | P (Made in China) |
| 16 CFR 1500.130 Pressurized Container Labeling | 16 CFR 1500.130 | Self-pressurized containers shall conform to the labeling requirements 16 CFR 1500.121(c). | NA |
| ASTM F963 Labeling | ASTM F963, Section 4 - 6 | Shall have special labeling for special features | P |
| Labeling for Misbranded Toy or Children Articles | FHSA Sec.24 / 16 CFR 1500.19&121 | Shall conform to the labeling requirement as defined by the act and regulations | NA |
| Art Materials | 16 CFR 1500.14(b)(8) / ASTM D4236 | Shall conform to the labeling requirements as defined by 16 CFR 1500.14 (b)(8)(LHAMA)/ASTM D4236 The art materials product/package shall carry "Conforms to ASTM D4236" or similar statement express the same meaning. Note: it is the supplier's responsibility to ensure the art materials used in the product are non-toxic and conforms to ASTM D4236. The document review is reported on next test item. | NA |
| 16 CFR 1500.14(b)(1-5) Labeling on Hazardous Substances | 16 CFR 1500 | Substances have a special hazard to health shall have conform labeling requirement. | NA |
| Stuffed Toy Labeling | PA / MA / OH Stuffed Toy Law | Stuffed toys shall have a tag or label securely affixed which contains: <ul style="list-style-type: none"> A statement that "All new material" was used | NA |

Test Report

Number: SHAH01320961

Tests Conducted

| Labeling Requirements | Citation | Criteria | Result |
|-------------------------------------|--|--|--------|
| | | <ul style="list-style-type: none"> Type of material The assigned state registration number (Pennsylvania at a minimum) The name and principal place of business (city and state) of the manufacturer or vendor | |
| Stuffed Articles | Technical Standard and Safety Act, 2000 Ontario Regulation 218/01 Quebec Regulation Respecting Stuffing and Upholstered and Stuffed Articles The Public Health Act of Manitoba, C.C.S.M. c. P210 - Bedding, Upholstered and Stuffed Articles Regulation | Toys shall have a label in the required format, securely affixed in a conspicuous location to the stuffed article. Labels must be made of a white durable fabric with black printing and shall declare filling materials by generic name in descending order based on the volume of each filling material. | NA |
| Safety Agency Listing Verification* | Visual Check | Verify UL/ETL listing or equivalent UL/ETL number: _____ for _____ UL/ETL number: _____ for _____ UL/ETL number: _____ for _____ | NA |
| Safety Agency Listing Verification* | Visual Check | CUL/CETL Current Listing verification Comment: Conduct electrical listing verification and testing for CANADA if being sold in Canada CUL/CETL number: _____ for _____ CUL/CETL number: _____ for _____ CUL/CETL number: _____ for _____ | NA |
| FCC Labeling Verification | FCC Part 15 | Shall have valid FCC report if the product operates by DC / AC with internal frequency >9kHz or operates by battery with internal frequency >1.705MHz Appropriate marking shall appear on both the product and instruction manual. | NA |

To be continued



Test Report

Number: SHAH01320961

Tests Conducted

Abbreviation: P = Pass; NA = Not Applicable

Date sample received: Mar.23, 2021

Testing period: Mar.23, 2021 to Mar.25, 2021

2 Physical and Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Applicant's Specified Age Group for Testing: For ages over 3 years

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations:

| <u>Test</u> | <u>FHSA</u> | <u>Parameter</u> |
|------------------|---------------------|------------------|
| Impact Test | Section 1500.53 (b) | 4 x 3.0 ft |
| Torque Test | Section 1500.53 (e) | 4 in-lbf |
| Tension Test | Section 1500.53 (f) | 15 lbf |
| Compression Test | Section 1500.53 (g) | 30 lbf |

| <u>Section</u> | <u>Testing Items</u> | <u>Assessment</u> |
|----------------|--|-------------------|
| 4.1 | Material Quality | P |
| 4.5 | Sound-Producing Toys | NA |
| 4.6.1 | Toys Intended for Children under 36 Months (Small Objects) | NA |
| 4.6.2 | Mouth-Actuated Toys | NA |
| 4.6.3 | Toys And Games for 36 Months to 72 Months (Small Part Warning) | NA |
| 4.7 | Accessible Edges | P |
| 4.8 | Projections | NA |
| 4.9 | Accessible Points | P |
| 4.10 | Wires Or Rods | NA |
| 4.11 | Nails And Fasteners | NA |
| 4.12 | Plastic Film | P |
| 4.13 | Folding Mechanisms and Hinges | NA |
| 4.14 | Cords, Straps, and Elastics | NA |
| 4.15 | Stability and Over-Load Requirements | NA |
| 4.16 | Confined Spaces | NA |
| 4.17 | Wheels, Tires and Axles | NA |
| 4.18 | Holes, Clearance, and Accessibility of Mechanisms | NA |
| 4.19 | Simulated Protective Devices | NA |
| 4.20 | Pacifiers | NA |
| 4.21 | Projectile Toys | NA |
| 4.22 | Teethers and Teething Toys | NA |
| 4.23 | Rattles | NA |
| 4.24 | Squeeze Toys | NA |
| 4.25 | Battery-Operated Toys | NA |
| 4.26 | Toys Intended to be Attached to a Crib or Playpen | NA |



Test Report

Number: SHAH01320961

Tests Conducted

| <u>Section</u> | <u>Testing Items</u> | <u>Assessment</u> |
|----------------|--|-------------------|
| 4.27 | Stuffed and Beanbag-Type Toys | NA |
| 4.28 | Stroller and Carriage Toys | NA |
| 4.29 | Art Materials | NA |
| 4.30 | Toy Gun Marking | NA |
| 4.31 | Balloons | NA |
| 4.32 | Certain Toys with Nearly Spherical Ends | NA |
| 4.33 | Marbles | NA |
| 4.34 | Balls | NA |
| 4.35 | Pompoms | NA |
| 4.36 | Hemispheric-Shaped Objects | NA |
| 4.37 | Yo Yo Elastic Tether Toys | NA |
| 4.38 | Magnets | NA |
| 4.39 | Jaw Entrapment in Handles and Steering Wheels | NA |
| 4.40 | Expanding Materials | NA |
| 4.41 | Toy Chests | NA |
| 5 | Labelling Requirement | P |
| 6 | Instructional Literature | P |
| 7 | Producer's Markings | |
| | - Name of Producer/Distributor (Packaging & Product) | Yes |
| | - Address (Packaging) | Yes |

Remark: The submitted samples were undergone the tests in accordance with Section 8.5 through Section 8.18 and 8.21 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass NA = Not Applicable

Date sample received: Mar.23, 2021

Testing period: Mar.23, 2021 to Mar.25, 2021

3 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification On Toy Safety F963-17.

Result = Ignited But Self-Extinguished before Burn Rate Could be Determined.

Date sample received: Mar.23, 2021

Testing period: Mar.23, 2021 to Mar.25, 2021

To be continued



Test Report

Number: SHAH01320961

Tests Conducted

4 Physical and Mechanical Test

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

Applicant specified age group for testing: For ages over 3 years

The submitted samples were undergone the use and abuse tests in accordance with Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 with amendments SOR/2016-195, SOR/2016-302 and SOR/2018-138.

| Test | Parameter |
|-----------|---------------------|
| Drop test | 4 x (0.909±0.005) m |
| Pull test | 42.5±2 N |
| Push test | 42.5±2 N |

| No. | Testing Items | Assessment |
|-----|---|------------|
| 3 | General - English and French bilingual statement | NA |
| 4 | Packaging | |
| | (a) The opening perimeter is less than 14 inches | P |
| | (b) The opening perimeter is more than 14 inches | NA |
| | <u>Electrical hazard</u> | |
| 5 | Electrically operated toys | NA |
| 6 | Electrically heated toys | NA |
| | <u>Mechanical hazard</u> | |
| 7 | Small parts | NA |
| 8 | Metal edges | NA |
| 9 | Wire frames | NA |
| 10 | Plastic edges | P |
| 11 | Wooden surfaces, edges and corners | NA |
| 12 | Glass | NA |
| 13 | Fasteners | NA |
| 14 | Folding mechanism, bracket or bracing | NA |
| 15 | Spring-wound driving mechanisms | NA |
| 16 | Projectile components | NA |
| 17 | Toys which a child can enter and which can be closed by a lid or door | NA |
| 18 | Stationary toy that is intended to bear the weight of a child | NA |
| | <u>Auditory hazards</u> | |
| 19 | Noise limit | NA |
| | <u>Thermal hazards</u> | |
| 20 | Heated surfaces, parts or substances | NA |
| | <u>Dolls, plush toys and soft toys</u> | |
| 28 | Fastenings to attach parts, clothing or ornamentation | NA |
| 29 | Stuffing materials | |
| | (a) Clean and free from vermin | NA |
| | (b) Free from hard and sharp foreign matter | NA |

Test Report

Number: SHAH01320961

Tests Conducted

| No. | Testing Items | Assessment |
|-----|--|------------|
| 30 | Small parts -Squeaker, reed, valve or other similar device | NA |
| 31 | Eyes and noses | NA |
| | <u>Plant seeds</u> | |
| 35 | Plant seeds for making noise | NA |
| 36 | Plant seeds for stuffing material | NA |
| 37 | Shaft-like handle | NA |
| 38 | Toy steam engines boilers | NA |
| 39 | Finger paints | NA |
| 40 | Rattle | NA |
| 41 | Elastics | NA |
| 42 | Yo-yo type balls | |
| | (a) Stretchable cords | NA |
| | (b) Similar product | NA |
| 43 | Magnetic force | NA |
| 44 | Warning of magnetic toys | NA |

Remark: P = Pass NA = Not Applicable

Date sample received: Mar.23, 2021
 Testing period: Mar.23, 2021 to Mar.25, 2021

5 Cellulose Nitrate and Celluloid

Test Standard: Canada Consumer Product Safety Act Toys Regulations SOR/2011-17 section 21 with amendments SOR/2016-195, SOR/2016-302.and SOR/2018-138

| | | |
|-----------------------------|-----------------------------|------------------------------|
| Cellulose Nitrate/Celluloid | <u>Assessment</u> Absent | <u>Requirement</u> Absent |
|-----------------------------|-----------------------------|------------------------------|

Date sample received: Mar.23, 2021
 Testing period: Mar.23, 2021 to Mar.25, 2021

6 Flammability Test

As per U.S. Code of Federal Regulations title 16 Part 1500.44 for rigid and pliable solids.

Result = Ignited but Self-Extinguished before Burn Rate Could be Determined

Date sample received: Mar.23, 2021
 Testing period: Mar.23, 2021 to Mar.25, 2021

 To be continued



Test Report

Number: SHAH01320961

Tests Conducted

7 Total Lead (Pb) Content In Surface Coating

As per AmScan's request, with reference to U.S. Code of Federal regulations title 16 part 1303 and U.S. Consumer Product Safety Improvement Act 2008, title I, section 101 for children's products containing Lead and Illinois Lead Poisoning Prevention Act, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

| <u>Tested component</u> | <u>Result in ppm</u> | <u>Limit in ppm</u> |
|-------------------------|----------------------|---------------------|
| (1) | <10 | 90 |

Remark: ppm = parts per million = mg/kg

Tested components:

(1) Black coating on plastic. (on body)

Date sample received: Mar.23, 2021

Testing period: Mar.23, 2021 to Mar.25, 2021

8 Total Lead (Pb) Content In Non-Surface Coating Materials (Substrate)

As per AmScan's request, with reference to U.S. Consumer Product Safety Improvement Act 2008, title I, section 101 for children's products containing Lead and Illinois Lead Poisoning Prevention Act, acid digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

| <u>Tested component</u> | <u>Result in ppm</u> | <u>Limit in ppm</u> |
|-------------------------|----------------------|---------------------|
| (1+2) | <10 | 90 |

Remark: ppm = parts per million = mg/kg

Tested components:

1. Orange soft plastic excluding coating. (body)
2. Transparent light blue soft plastic. (valve)

Date sample received: Mar.23, 2021

Testing period: Mar.23, 2021 to Mar.30, 2021

To be continued



Test Report

Number: SHAH01320961

Tests Conducted

9 Toxic Elements Analysis on Surface Coating

As per Amscan's request, with reference to section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

| | <u>Result (ppm)</u> | <u>Limit (ppm)</u> |
|---------------------|---------------------|--------------------|
| | (1) | |
| Total Barium (Ba) | 247 | 1000 |
| Total Lead (Pb) | <10 | 90 |
| Total Cadmium (Cd) | <10 | 75 |
| Total Antimony (Sb) | <10 | 60 |
| Total Selenium (Se) | <10 | 500 |
| Total Chromium (Cr) | 21 | 60 |
| Total Mercury (Hg) | <10 | 10 |
| Total Arsenic (As) | <10 | 25 |
| Total Nickel (Ni) | <10 | 60 |

Remark: ppm = Parts per million = mg/kg

Remark: The result of total heavy metals content was below the limits, soluble test was not conducted.

Tested Components:

(1) Black coating on plastic. (on body)

Date sample received: Mar.23, 2021

Testing period: Mar.23, 2021 to Mar.30, 2021

10 Toxic Elements Analysis On Substrate

As per Amscan's request, with reference to section 4.3.5 of the ASTM standard consumer safety specification on toy safety F963-17, toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

| | <u>Result in ppm</u> | <u>Limit in ppm</u> |
|---------------------|----------------------|---------------------|
| | (1) | |
| Total Barium (Ba) | 932# | 1000 |
| Total Lead (Pb) | <10 | 90 |
| Total Cadmium (Cd) | <10 | 75 |
| Total Antimony (Sb) | <10 | 60 |
| Total Selenium (Se) | <10 | 500 |
| Total Chromium (Cr) | <10 | 60 |
| Total Mercury (Hg) | <10 | 60 |
| Total Arsenic (As) | <10 | 25 |
| Total Nickel (Ni) | <10 | 60 |

To be continued



Test Report

Number: SHAH01320961

Tests Conducted

| | <u>Result in ppm</u> (1+2) | <u>Limit in ppm</u> |
|--------------------|-------------------------------|---------------------|
| Sol. Barium (Ba) | <5 | 1000 |
| Sol. Lead (Pb) | <5 | 90 |
| Sol. Cadmium (Cd) | <5 | 75 |
| Sol. Antimony (Sb) | <5 | 60 |
| Sol. Selenium (Se) | <5 | 500 |
| Sol. Chromium (Cr) | <5 | 60 |
| Sol. Mercury (Hg) | <5 | 60 |
| Sol. Arsenic (As) | <2.5 | 25 |
| Sol. Nickel (Ni) | <5 | 930 |

Remark: Sol = Soluble
ppm = Parts per million = mg/kg

= Exceeded Soluble limit /n.

Remark: the result of total heavy metals content was failed to meet the limits, soluble test was conducted.

Tested Components:

1. Orange soft plastic excluding coating. (body)
2. Transparent light blue soft plastic. (valve)

Date sample received: Mar.23, 2021

Testing period: Mar.23, 2021 to Mar.30, 2021

11 Toxic Elements Analysis

As per method C02.2, C07 and C03, published in Health Canada Product safety reference manual Book 5 - Laboratory Policies and Procedures Part B: test methods section, by acid digestion and extraction methods were used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry.

| | <u>Result (mg/kg)</u> (1) | <u>Limit (mg/kg)</u> |
|--------------------|------------------------------|----------------------|
| Tot. Lead (Pb) | <10 | 90 |
| Tot. Mercury (Hg) | ND | ND |
| Sol. Cadmium (Cd) | <10 | 1000 |
| Sol. Antimony (Sb) | <10 | 1000 |
| Sol. Selenium (Se) | <10 | 1000 |
| Sol. Arsenic (As) | <10 | 1000 |
| Sol. Barium (Ba) | <10 | 1000 |

To be continued



Test Report

Number: SHAH01320961

Tests Conducted

Remark: mg/kg = Milligram per kilogram
 Tot. = Total
 Sol. = Soluble
 ND = Not detected (<0.078 mg/kg)

Tested Components: Black coating on plastic. (on body)

Date sample received: Mar.23, 2021
 Testing period: Mar.23, 2021 to Mar.30, 2021

12 Phthalate Content Test

Test Method: Amscan's specification, with reference to CPSC-CH-C1001-09.3, by Gas Chromatographic-Mass Spectrometric (GC-MS) and High Performance Liquid Chromatographic (HPLC) analysis.

| Compound | Result (%. w/w) | Limit (%. w/w) |
|---|-----------------|----------------|
| | (1+2) | (Max.) |
| Dibutyl phthalate (DBP) | ND | 0.1 |
| Diethyl hexyl phthalate (DEHP) | ND | 0.1 |
| Benzyl butyl phthalate (BBP) | ND | 0.1 |
| Diiso-nonyl phthalate (DINP) | ND | 0.1 |
| Di-n-octyl phthalate (DnOP) | ND | 0.1 |
| Diiso-decyl phthalate (DIDP) | ND | 0.1 |
| Di-n-hexyl phthalate (DnHP) / (DHEXP) | ND | 0.1 |
| Di-cyclohexyl phthalate (DCHP) | ND | 0.1 |
| Diisobutyl phthalate (DIBP) | ND | 0.1 |
| Dipentyl phthalate (DPP) / (DPENP) | ND | 0.1 |
| Diisooctyl phthalate (DIOP) | ND | -- |
| 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear | ND | -- |
| Monobutyl phthalate (MBP) | ND | -- |
| Diethyl phthalate (DEP) | ND | -- |
| Bis(2-methoxyethyl) phthalate (DMEP) | ND | -- |
| Diisopentylphthalate (DIPP) | ND | -- |
| N-pentyl-isopentylphthalate (PIPP) | ND | -- |
| 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | ND | -- |
| 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) | ND | -- |
| 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNU) | ND | -- |
| 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5) | ND | -- |

To be continued



Test Report

Number: SHAH01320961

Tests Conducted

Remark:
ND = Not Detected
Detection Limit = 0.01%(w/w)

Tested components:

1. Orange soft plastic with black coating. (body)
2. Transparent light blue soft plastic. (valve)

Date sample received: Mar.23, 2021
Testing period: Mar.23, 2021 to Mar.26, 2021

13 Lead and Cadmium in Surface Wipe Sample

With reference to NIOSH 9100

| | <u>Tested Component</u> | <u>Lead</u> | <u>Result (µg)</u> | <u>Cadmium</u> |
|--------|-------------------------|--------------------|--------------------|--------------------|
| Limit: | (1) | <1.0 1.0 (max.) | | <1.0 1.0 (max.) |

Tested Component:
(1) Infl Mini Basketball

Date sample received: Mar.23, 2021
Testing period: Mar.23, 2021 to Mar.26, 2021

End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shenzhen Ltd. Remark: "The testing data and result issued by this report are just for scientific research, teaching, internal quality control, product research and development etc. on reference only in the territory of the People's Republic of China."

